



LING CHANG
ARCH ELECTRONICS CORP
7TH FL-1 79 HSIN TAI WU RD SEC 1
HSIN CHIN
NEW TAIPEI
221 TAIWAN

Date: 2016/06/07
Subscriber: 588462001
PartySite: 126562
File No: E199779
Project No: 4787389375
PD No: 16020970
Type: R
PO Number:

Subject: **Procedure And/Or Report Material**

The following material resulting from the investigation under the above numbers is enclosed.

Issue

<u>Date</u>	<u>Vol</u>	<u>Sec</u>	<u>Pages</u>	<u>Revised Date</u>
2010/03/12	X1	A20	Revised Proc/Rpt Section	

If there are illegible images in this package, legible images may be found online via MyHome@UL under My UL Reports/CDA

Please file revised pages and illustrations in place of material of like identity. New material should be filed in its proper numerical order.

NOTE: Follow-Up Service Procedure revisions DO NOT include Cover Pages, Test Records and Conclusion Pages. Report revisions DO NOT include Authorization Pages, Indices, Section General Pages and Appendixes.

Please review this material and report any inaccuracies to UL's Customer Service Professionals. Contact information for all of UL's global offices can be found at <http://ul.com/aboutul/locations>.

If you'd like to receive updated materials FASTER, UL offers electronic access and/or delivery of this material. For more details, contact UL's Customer Service Professionals as shown above.

This material is provided on behalf of UL LLC(UL) or any authorized licensee of UL.

TPI File

UL TEST REPORT AND PROCEDURE

Standard:	UL 60950-1, 2nd Edition, 2014-10-14 (Information Technology Equipment - Safety - Part 1: General Requirements) CAN/CSA C22.2 No. 60950-1-07, 2nd Edition, 2014-10 (Information Technology Equipment - Safety - Part 1: General Requirements)
Certification Type:	Component Recognition
CCN:	QQGQ2, QQGQ8 (Power Supplies for Information Technology Equipment Including Electrical Business Equipment)
Product:	Switching Power Supply
Model:	AQF360E-X, AQF360F-X, AQF360U-X, ALF240-X and ALF150-X (X= 9S, 12S, 15S, 18S, 19.5S, 24S, 26S, 28S, 30S, 32S, 36S, 38S, 40S, 48S or 54S)
Rating:	Input: 100-240 Vac, 50-60 Hz, 4 A maximum. Output: Refer to Enclosure ID 7-01 for the detailed ratings.
Applicant Name and Address:	ARCH ELECTRONICS CORP 7TH FL-1 79 HSIN TAI WU RD SEC 1 HSIN CHIN NEW TAIPEI 221 TAIWAN

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of UL LLC ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Prepared by: Vincent Lai

Reviewed by: Stanley Tsai