CERTIFICATE OF COMPLIANCE

Certificate Number	UL-US-2123380-0
Report Reference	E176177-20210426
Date	6-May-2021
Issued to:	CINCON ELECTRONICS CO LTD 8-1 FU KUNG RD FU HSING PARK FU HSING HSIANG CHANGHUA HSIEN Taiwan 506
This is to certify that representative samples of	QQJQ2 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component See Addendum Page for Product Designation(s). Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.
Standard(s) for Safety:	UL 62368-1, 2nd Ed., Issue Date: 2014-12-01
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2123380-0
Report Reference E176177-20210426
Date 6-May-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CHB300W-24S05yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S12yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S15yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S24yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S28yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S48yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S05yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S12yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S15yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S24yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter

Bruce Mahrenholz, Director North American Certification Program

UL LLC

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2123380-0
Report Reference E176177-20210426
Date 6-May-2021

CHB300W-48S28yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S48yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter

Bruce Mahrenholz, Director North American Certification Program

UL LLC

CERTIFICATE OF COMPLIANCE

Certificate Number	UL-CA-2119141-0
Report Reference	E176177-20210426
Date	6-May-2021

Issued to:

CINCON ELECTRONICS CO LTD
8-1 FU KUNG RD
FU HSING PARK
FU HSING HSIANG CHANGHUA HSIEN
Taiwan 506

This is to certify that representative samples of

QQJQ8 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 NO. 62368-1-14, 2nd Ed., Issue Date: 2014-12-01

Additional Information: See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119141-0
Report Reference E176177-20210426
Date 6-May-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CHB300W-24S05yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S12yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S15yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S24yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S28yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-24S48yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S05yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S12yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S15yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S24yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter

Bruce Mahrenholz, Director North American Certification Program

UL LLC

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2119141-0
Report Reference E176177-20210426
Date 6-May-2021

CHB300W-48S28yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter
CHB300W-48S48yz, y can be N or blank. N denotes negative logic. Blank denotes positive logic, z can be -C (with clear mounting insert) or blank (with mounting insert)	DC-DC Converter

Bruce Mahrenholz, Director North American Certification Program

UL LLC